



NATIONAL  
ENVIRONMENTAL  
TESTING, INC.

JUN 01 1998

Indianapolis Division  
6964 Hillsdale Ct.  
Indianapolis, IN 46250  
Tel: (317) 842-4261  
Fax: (317) 842-4286

## ANALYTICAL REPORT

Mr. Richard Tyler  
MILBANK MANUFACTURING INC  
1400 E. HAVENS ST.  
KOKOMO, IN 56901-3188

05/27/1998

NET Job Number: 98.03344  
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number	Sample Description	Date Taken	Date Received
207925	OUTFALL 001	05/19/1998	05/19/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

*Ken Barnett*

Project Representative

MIL0003210



NATIONAL  
ENVIRONMENTAL  
TESTING, INC.

JUN 01 1998

Indianapolis Division  
6964 Hillsdale Ct.  
Indianapolis, IN 46250  
Tel: (317) 842-4261  
Fax: (317) 842-4286

## ANALYTICAL REPORT

Mr. Richard Tyler  
MILBANK MANUFACTURING INC  
1400 E. HAVENS ST.  
KOKOMO, IN 56901-3188

05/27/1998

Job No.: 98.03344

Page 2 of 3

Date Received: 05/19/1998

Job Description: TWICE WEEKLY WASTEWATER

Sample Number / Sample I.D.			Sample Date/	Analyst &		Reporting
Parameters	Result	Flag	Units	Date Analyzed	Method	Limit
207925	OUTFALL 001		05/19/1998			
Iron, ICP	<0.10		mg/L	tjg / 05/20/1998	E-200.7	<0.10
Lead, ICP	<0.080		mg/L	tjg / 05/20/1998	E-200.7	<0.080
Silver, ICP	<0.020		mg/L	tjg / 05/20/1998	E-200.7	<0.020
Zinc, ICP	0.94		mg/L	tjg / 05/20/1998	E-200.7	<0.020

MIL0003211





**NATIONAL  
ENVIRONMENTAL  
TESTING, INC.**

Indianapolis Division  
6964 Hillsdale Ct.  
Indianapolis, IN 46250  
Tel: (317) 842-4261  
Fax: (317) 842-4286

**JUN 01 1998**

**FIELD REPORT**

**JOB #:** 98.03344  
**CLIENT:** MILBANK MFG.  
**PROJECT:** TWICE WEEKLY WASTEWATER  
**DATE:** 5/19/98  
**SAMPLER(S):** MEM

An ISCO model 6700 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated withalconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 24 hours.

Monitoring start 08:00 on 5/18/98  
Monitoring end 08:00 on 5/19/98

The composite sample was cloudy with some floating particles.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.

**MIL0003212**



NATIONAL  
ENVIRONMENTAL  
TESTING, INC.

Indianapolis Division  
6964 Hillsdale Ct.  
Indianapolis, IN 46250  
Tel: (317) 842-4261  
Fax: (317) 842-4286

## KEY TO ABBREVIATIONS

JUN 01 1998

<	Less than; when appearing in the results column indicates the analyte was not detected at or above the reported value.
mg/L	Concentration in units of milligrams of analyte per Liter of sample. Measurement used for aqueous samples. Can also be expressed as parts per million (ppm).
ug/L	Concentration in units of micrograms of analyte per Liter of sample. Measurement used for aqueous samples. Can also be expressed as parts per billion (ppb).
mg/kg	Concentration in units of milligrams of analyte per kilogram of sample. Measurement used for non-aqueous samples. Can also be expressed as parts per million (ppm).
ug/kg	Concentration in units of micrograms of analyte per kilogram of sample. Measurement used for non-aqueous samples. Can also be expressed as parts per billion (ppb).
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Samples resembles unknown Hydrocarbon.
d1	Indicates the analyte has elevated reporting limit due to high concentration.
d2	Indicates the analyte has elevated reporting limit due to matrix interference.
e	Indicates the reported concentration is estimated.
f	Indicates the sample concentration was quantitated using a fuel oil standard.
	Indicates the sample concentration was quantitated using a gasoline standard.
	Indicates the sample was analyzed past holding time.
i	Indicates the sample spike concentration was insufficient, due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS duplicate has been provided.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. All other QCIs were in control.
r	Indicates the sample was received past holding time.
s	Indicates the sample concentration was quantitated using a stoddard solvent standard.
u	Indicates the sample was received improperly preserved and/or contained.
uj	Indicates the result is under the reporting limit and considered an estimated concentration.
TCLP	Indicates the Toxicity Characteristic Leaching Procedure was performed for this analysis.
ICP	Indicates the analysis was performed using Inductively Coupled Plasma Spectroscopy.
GFAA	Indicates the analysis was performed using Graphite Furnace Atomic Absorption Spectroscopy.
%	Percent; To convert ppm to %, divide the result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Reporting limits are elevated due to insufficient sample submitted by client.
Dry Weight	When indicated, the results are reported on a dry weight basis. The contribution of the moisture content in the sample is subtracted when calculating the concentration of the analyte.

MIL0003213





COMPANY Milbank

ADDRESS

PHONE

FAX

PROJECT NAME/LOCATION 2x weekly wastewater sampling

PROJECT NUMBER

## PROJECT MANAGER

REPORT TO: \_\_\_\_\_

INVOICE TO: \_\_\_\_\_

P.O. NO. \_\_\_\_\_

NET QUOTE NO. 98.0060

SAMPLED BY: Michael E. Millikan  
(PRINT NAME)

(PRINT NAME)

Michael S. Milika  
SIGNATURE

**SIGNATURE**

SIGNATURE

## ANALYSES

To assist us in selecting the proper method

Is this work being conducted for regulatory compliance monitoring? Yes \_\_\_\_\_ No \_\_\_\_\_

Is this work being conducted for regulatory enforcement action? Yes \_\_\_\_\_ No \_\_\_\_\_

Which regulations apply: RCRA \_\_\_\_\_ NPDES Wastewater \_\_\_\_\_  
UST \_\_\_\_\_ Drinking Water \_\_\_\_\_  
Other \_\_\_\_\_ None \_\_\_\_\_

## COMMENTS

[illegible]

JUN 1 1966

CONDITION OF SAMPLE: BOTTLES INTACT? YES / NO  
~~FIELD FILTERED? YES / NO~~

~~GQC SEALS PRESENT AND INTACT? YES / NO~~  
~~VOLATILES FREE OF HEADSPACE? YES / NO~~

TEMPERATURE UPON RECEIPT: 2.4°C  
Bottles supplied by NET? YES / NO

SAMPLE REMAINDER DISPOSAL: RETURN SAMPLE REMAINDER TO CLIENT VIA \_\_\_\_\_  
I REQUEST NET TO DISPOSE OF ALL SAMPLE REMAINDERS \_\_\_\_\_

DATE \_\_\_\_\_

RELINQUISHED BY:

DATE \_\_\_\_\_

TIME

RECEIVED BY:

REINOLISHED BY:

DATE \_\_\_\_\_

TIME
------

RECEIVED FOR NET B

### METHOD OF SHIPMENT

REMARKS: